

Contents

Preface	<i>xi</i>
About the Authors	<i>xiii</i>
Acknowledgements	<i>xv</i>
About the Companion Website	<i>xvii</i>

1	History, Present and Future of Aligners	1
1.1	History of Clear Aligners	1
1.1.1	Early Beginning	1
1.2	Origins of Align Technology	7
1.3	Early Clear Aligner Manufacturers	8
1.4	Align Technology Development	9
1.5	Current Situation and Future of Aligners	11
1.6	Promising Aligner Initiatives	12
1.6.1	ClearCorrect by Straumann	12
1.6.2	SureSmile by Dentsply	13
1.6.3	F22 by Sweden and Martina	13
1.6.4	Clarity by 3M	14
1.6.5	Spark, by Ormco	15
1.6.6	CA Clear Aligner by Scheu	15
1.6.7	Irok	16
1.6.8	Angelalign	17
1.6.9	Alineadent	17
1.6.10	Remote Aligner Companies	18
1.7	Future of Clear Aligners	20
2	Basic Principles with Aligners	21
2.1	Forces	21
2.2	Engagement	21
2.3	Anchorage	22
2.4	Case Selection to Start with Aligners Technique	24
3	Why Invisalign?	25
3.1	Why Did We Begin Prescribing Invisalign in Our Practice?	25
3.2	Our Motivation	26

- 4 Patient Communication Skills 27**
 - 4.1 Invisalign Equates to Health, Wellness and Outstanding Results 27
 - 4.2 Effective Patient Communication 28
- 5 Keys to Practice Growth 29**
 - 5.1 How to Get the Best Results with Invisalign 29
- 6 Patient Selection 31**
- 7 Predictability of Movement 33**
 - 7.1 Treatments to Gain Familiarity with the Technique 33
- 8 Types of Treatments with Invisalign 35**
- 9 Pillars of the Invisalign Technique 37**
 - 9.1 Aligners 37
 - 9.2 ClinCheck Software 38
 - 9.3 Attachments and Features of SmartForce 38
 - 9.4 Auxiliary Techniques 38
 - 9.5 Technician (CAD Designer) 38
- 10 Conventional Attachments 39**
 - 10.1 Features of SmartForce 41
 - 10.1.1 Optimized Attachments 41
 - 10.2 Optimized Support Attachments 47
 - 10.2.1 SmartForces 47
- 11 Clinical Preferences 51**
- 12 Attachments Bonding and Interproximal Reduction 53**
 - 12.1 Bonding Attachments Protocol 53
 - 12.2 Interproximal Reduction Procedure 55
- 13 Digital Workflow 59**
 - 13.1 Records 59
 - 13.1.1 Photographs 59
 - 13.1.2 Impressions: PVS vs Scan 61
 - 13.2 Creating a New Patient Record 63
- 14 ClinCheck Software 65**
 - 14.1 The Perfect ClinCheck Review in 10 Steps 65
 - 14.1.1 Check Initial Occlusion 66
 - 14.1.2 Review Comments Tab 67
 - 14.1.3 Review the Final Position 67
 - 14.1.4 Check the Number of Stages in Treatment 69
 - 14.1.5 Dynamic Evaluation of the ClinCheck 70
 - 14.1.6 Reviewing Occlusal Views 70

- 14.1.7 Check the Superimposition Tool 76
- 14.1.8 Review the Tooth Movement Assessment 76
- 14.1.9 Review Attachments 78
- 14.1.10 Review IPR 78
- 14.1.11 Review Precision Cuts 80
- 14.2 Communication with the Technician 82

- 15 Treatment Monitoring and Appointments Protocol 83**
 - 15.1 Tracking Treatment Progress 83
 - 15.2 Appointments Protocol for Invisalign Patient 84
 - 15.3 Protocol on Each Appointment 85

- 16 Troubleshooting and Retention 87**
 - 16.1 Auxiliary Techniques 87
 - 16.1.1 Tooth Does Not Follow Rotation Movement 88
 - 16.1.2 Tooth Does Not Follow Vertical Movement 89
 - 16.1.3 Managing Root Tipping 90
 - 16.1.4 Managing Posterior Mesialization 91
 - 16.1.5 Reopening Space for Missing Molars 92
 - 16.1.6 Achieving More than 4 mm of Anterior Intrusion 93
 - 16.1.7 Managing Intrusion of the Mesiobuccal Cusp of the First Molar 94
 - 16.1.8 Managing Premolar Rotation Greater than 45 Degrees 94
 - 16.1.9 Solving a Posterior Open Bite 95
 - 16.1.10 Correcting Canine Rotation as well as Anteroposterior Discrepancy 96
 - 16.2 Finishing Techniques 96
 - 16.2.1 Overcorrection 97
 - 16.2.2 Overtreatment 97
 - 16.3 Retention 98

- 17 Arch Length Discrepancies 99**
 - 17.1 Spacing 101
 - 17.1.1 Spacing, Case 1 101
 - 17.1.2 Spacing with Frenulectomy 105
 - 17.2 Crowding 109
 - 17.2.1 Crowding, Case 1 109
 - 17.2.2 Crowding, Case 2 113
 - 17.2.3 Crowding, Case 3 118
 - 17.2.4 Crowding, Case 4 123

- 18 Growing Patients 129**
 - 18.1 First Treatment 132
 - 18.1.1 Upper Maxillary Compression 132
 - 18.1.2 First Severe Crowding Treatment 137
 - 18.2 Teenage Patients 143
 - 18.2.1 Class II Corrected with Lite Treatment 143
 - 18.2.2 Class II Treated with Comprehensive Treatment 150
 - 18.2.3 Class III with Impacted Canine 155

- 18.2.4 Traditional Technique for Impacted Canine Traction 160
- 18.2.5 Deep Bite Lite Treatment in a Teenager 161
- 18.2.6 Ectopic Palatal Canine 166
- 18.2.7 Temporary Tooth Management 172

- 19 Transversal Problems: Symmetric and Asymmetric Expansion 177**
 - 19.1 Things to Consider in Expansion Cases 180
 - 19.2 Symmetric Expansion 182
 - 19.2.1 Symmetric Compression Causing Anterior Open Bite 182
 - 19.2.2 Symmetric Compression with Edge to Edge Bite 187
 - 19.2.3 Symmetric Compression Combined with Skeletal Class III 191
 - 19.2.4 Symmetric Compression with Loss of Attachment 196
 - 19.2.5 Symmetric Compression with Bilateral Posterior Crossbite 200
 - 19.2.6 Symmetric Compression with Class II and Gummy Smile 204
 - 19.3 Asymmetric Expansion 210
 - 19.3.1 Skeletal Class III Patient with Severe Periodontal Disease 210
 - 19.3.2 Asymmetric Compression with Unilateral Posterior Crossbite from Canine to Second Molar 217
 - 19.3.3 Asymmetric Compression with Unilateral Posterior Molar Crossbite: a Two-stage Approach 223
 - 19.3.4 Skeletal Asymmetric Compression with Unilateral Posterior Molar Crossbite: Use of Maxillary Assisted Rapid Palatal Expander 228
 - 19.4 Tips for Transversal Arch Compensation 235

- 20 Sagittal Discrepancies 237**
 - 20.1 Filling the Prescription form for Class II/III Patients 241
 - 20.2 Class II Cases 245
 - 20.2.1 Considerations for Class II Patients 245
 - 20.2.2 Mandibular Advancement 250
 - 20.2.3 Conventional Mandibular Advancement + Aligners 253
 - 20.2.4 Invisalign Mandibular Advancement 258
 - 20.2.5 Class II Corrected by Transverse Arch Development and Intermaxillary Elastics 266
 - 20.2.6 Sequential Upper Distalization and Lower Mesialization 271
 - 20.2.7 Sequential Distalization 276
 - 20.2.8 Simultaneous Distalization 281
 - 20.2.9 Simultaneous Distalization with TADs in Tuberosity 286
 - 20.2.10 Simultaneous Distalization with TADs in Tuberosity 293
 - 20.2.11 Top Jet 298
 - 20.2.12 Class II with Proclined Lower Incisors 302
 - 20.2.13 Full Class II with Posterior Crossbite 307
 - 20.2.14 Class II Patient with Anterior Open Bite and Crossbite 311
 - 20.3 Class III 316
 - 20.3.1 Posterior IPR 317
 - 20.3.2 Lower Sequential Distalization 318
 - 20.3.3 Class III with Anterior Crossbite 320
 - 20.3.4 Dentoalveolar Protrusion, Skeletal Class III 327

- 20.3.5 Anterior Crossbite, Skeletal Class III with Hypoplastic Upper Maxilla, Dentoalveolar Compensation 332
- 20.3.6 Anterior Crossbite, Skeletal Class III with Hypoplastic Upper Maxilla, Miniscrew-assisted Rapid Palatal Expander (MARPE) Combined with Aligners 337
- 20.3.7 Anterior Crossbite, Skeletal Class III 342
- 20.4 Dentoalveolar Protrusion Skeletal Class II 347
- 20.4.1 Upper and Lower Simultaneous Distalization Protocol 347

21 Vertical Problems 355

- 21.1 Open Bite 355
 - 21.1.1 Open Bite: Transversal and Sagittal Cause 361
 - 21.1.2 Open Bite: Transversal, Sagittal and Vertical Cause 366
 - 21.1.3 Open Bite: Vertical Cause Treated with TADs 373
 - 21.1.4 Open Bite with Tongue-thrusting Habit 378
 - 21.1.5 Open Bite with Insufficient Incisor Display 383
 - 21.1.6 Open Bite with 4 Day Aligner Change 387
- 21.2 Deep Bite: Classification According to Complexity 393
 - 21.2.1 Deep Bite and Bruxism: Skeletal Class I with Crowding 399
 - 21.2.2 Deep Bite, Class II: Skeletal Class II with Deep Bite and Lower Severe Crowding 403
 - 21.2.3 Deep Bite: Skeletal Class I 408
 - 21.2.4 Deep Bite: Skeletal Class II with TADs 412
 - 21.2.5 Deep Bite with Lite Treatment 418
- Bibliography 422

22 Asymmetries 423

- 22.1 Growing Patients with Asymmetry 423
 - 22.1.1 Skeletal Class II with Asymmetry 423
 - 22.1.2 Skeletal Class II with Asymmetry 428
- 22.2 Non-growing Patients with Asymmetry 432
 - 22.2.1 Skeletal Class III with Maxillomandibular Asymmetry 432
 - 22.2.2 Skeletal Class III with Mandibular Asymmetry 441
 - 22.2.3 Midline Shift with Anterior Open Bite Tendency, Posterior Crossbite, Left Class II, Right Class III 448

23 Extraction Cases 453

- 23.1 Incisor Extraction 453
 - 23.1.1 Class III with Lower Incisor Extraction 455
 - 23.1.2 Class I with Lower Crowding and Periodontal Problem Lower Incisor Extraction 460
- 23.2 Extraction of Premolars 467
 - 23.2.1 Absolute Anchorage 467
 - 23.2.2 Maximum Anchorage 467
- 23.2.3 Class II with 14 and 24 Extraction 473
- 23.2.4 Extraction of 14 for Right Full Class II Patient, G6 Protocol 478
- 23.2.5 Extraction of 14 for Right Full Class II Patient, Modified G6 Protocol 481
- 23.2.6 Extraction of 14 for Right Full Class II Patient, Modified G6 Protocol and Powerarms for Root Straightening 487

- 23.2.7 Extraction of 14 and 24 on Bilateral Full Class II 492
- 23.2.8 Lower Space Closure for Class III Patient 498

24 Multidisciplinary Cases: Implants 503

- 24.1 TADs to Intrude Upper Molars 503
- 24.2 Upper Midline Shift 509
 - 24.2.1 Opening Space for Implant of 23 509
- 24.3 Posterior Bite Collapse 515
- 24.4 Posterior Bite Collapse with Deep Bite 520
- 24.5 Biomechanics of the Locatelli for Mesialization of the Lower Dental Arch Opening Space for Implants 525
 - 24.5.1 Locatelli to Open Space for Single Tooth Posterior Implant Side 527
- 24.6 Gingivectomy, Passive Eruption Case 532
- 24.7 Anterior Intrusion Anchored on Dental Implant 535
- 24.8 Anterior Torque Anchored on Dental Implant 538

25 Prerestorative Orthodontics: Veneers 543

- 25.1 Bleaching 549
- 25.2 Veneers to Solve Lateral Bolton Discrepancy in a Class III Patient 551
- 25.3 Space Opening for Anterior Crowns and Implants 557
- 25.4 Anterior Intrusion for Two Central Incisor Veneers 561
- 25.5 Edge-to-Edge Bite Preparation for Veneers 565

Index 569