

BRIEF CONTENTS

1	The Chemical Foundations of Biochemistry	1
2	Nucleic Acids	27
3	Proteins I: An Introduction to Protein Structure, Function and Purification	69
4	Proteins II: Enzymes, Allosterism and Receptor-Ligand Interactions	133
5	Membranes and an Introduction to Signal Transduction	193
6	Carbohydrates I: Mono- and Disaccharides, Glycolysis, Gluconeogenesis, and the Fates of Pyruvate	217
7	The Common Catabolic Pathway	269
8	Carbohydrates II	315
9	Lipids I: Fatty Acids, Steroids, and Eicosanoids; Beta-Oxidation and Fatty Acid Biosynthesis	363
10	Lipids II: Metabolism and Transport of Complex Lipids	415
11	Amino Acid and Amine Metabolism	461
12	Regulation and Integration of Metabolism	505
13	Nucleotide and Deoxynucleotide Metabolism	541
14	DNA Replication, Damage, and Repair	571
15	RNA Synthesis and Processing	611
16	Protein Biosynthesis	643
17	Control and Regulation of Gene Expression	673
18	Determination of Macromolecular Structure	715
19	Protein Production, Folding, and Engineering	745
20	Bioinformatics and Omics	775

21	Signal Transduction	801
22	Protein Trafficking	833
23	Photosynthesis and Nitrogen Fixation	853

TECHNIQUES **T-1**

SOLUTIONS **A-1**

GLOSSARY **G-1**

INDEX **I-1**

1 The Chemical Foundations of Biochemistry 1

Chemistry in Context 1

1.1 General Chemical Principles 2

- 1.1.1 Principles of thermodynamics describe all systems 2
- 1.1.2 Equilibrium concepts of specific thermodynamic state 8
- 1.1.3 Kinetics approaches of the rate of chemical reactions 9
- 1.1.4 Thermodynamics, equilibrium, and kinetics are used together to describe biochemical reactions and systems 9
- 1.1.5 ATP-the energy carrier 11
- 1.2 Fundamental Concepts of Organic Chemistry 11
- 1.2.1 Chemical properties and reactions can be sorted by functional groups 12
- 1.2.2 The solubility and polarity of a molecule can be determined from its structure 12
- 1.2.3 Reaction mechanisms attempt to explain how a reaction occurs 13
- 1.2.4 Major constituent Biomolecules in living organisms 14
- 1.3 The Chemistry of Water 16
- 1.3.1 The structure of water provides clues about its properties 16
- 1.3.2 Hydrogen bonding among water molecules is one of the most important weak forces in biochemistry 17
- 1.3.3 Water can ionize to acids and bases in biochemical systems 18

2 Nucleic Acids 27

Nucleic Acids in Context 27

2.1 Nucleic Acids are the Genetic Materials 28

- 2.1.1 DNA as genetic material 29
- 2.1.2 RNA as genetic material 29
- 2.2 Nucleic Acids Have Distinct Structures 30
- 2.2.1 Nucleic acids can be understood from their chemical constituents 30
- 2.2.2 The complex shapes of nucleic acids are the result of numerous weak forces 32

2.3 Nucleic Acids Have Many Cellular Functions 39

- 2.3.1 Replication is the process by which DNA makes its own replica 39

- 2.3.2 Transcription is the copying of DNA into an RNA message 41

- 2.3.3 Translation is the synthesis of proteins by ribosomes using an mRNA code 43

- 2.3.4 Regulation of replication, transcription, and translation is critical to an organism's survival and propagation 43

- 2.3.5 Viruses and retroviruses use the cell's own machinery to reproduce 45

2.4 The Manipulation of Nucleic Acids Has Transformed Biochemistry 46

- 2.4.1 DNA can be easily manipulated and analyzed *in vitro* 46
- 2.4.2 DNA can be used to drive protein expression 55
- 2.4.3 Techniques can be used to silence genes in organisms 61

3 Proteins I: An Introduction to Protein Structure, Function and Purification 69

Proteins and their Purification in Context 69

3.1 Amino Acid Chemistry 71

- 3.1.1 The structure of amino acids dictates their chemical properties 71
- 3.1.2 The side chains of amino acids impart unique properties 72
- 3.1.3 Amino acids have various roles in biochemistry 74

3.2 Proteins Are Polymers of Amino Acids 76

- 3.2.1 Both peptides and proteins are polymers of amino acids 76
- 3.2.2 The peptide bond has special characteristics 78
- 3.2.3 Many proteins require inorganic ions or small organic molecules to function 79

- 3.2.4 Amino acids can be modified within proteins 79

3.3 Proteins Are Molecules of Defined Shape and Structure 81

- 3.3.1 The primary structure of a protein is its amino acid sequence 81
- 3.3.2 The major secondary structures found in proteins are α helix and β sheets 83
- 3.3.3 The tertiary structure of a protein is the organization of secondary structures into conserved motifs 86
- 3.3.4 The quaternary structure of a protein describes how individual subunits interact 91
- 3.3.5 Amino acid sequencing in proteins 91

3.4 Examples of Protein Structures and Functions 96

- 3.4.1 Aquaporin, a transmembrane pore 96
- 3.4.2 Chymotrypsin, an enzyme 96
- 3.4.3 Collagen, a structural protein 97
- 3.4.4 Hemoglobin, a transport protein 97
- 3.4.5 Immunoglobulins, antigen-binding proteins 98
- 3.4.6 Insulin, a signaling protein 100
- 3.4.7 Myosin, a molecular motor 100

3.5 Protein Purification Basics 103

- 3.5.1 The first step of purifying a protein is to identify a source 103
- 3.5.2 Purification schemes detail each step in a purification 104
- 3.5.3 Purification begins with crude steps of separation and becomes more refined 105
- 3.5.4 Protein chromatography separates proteins based on physical or chemical properties 108

3.6 Size-Exclusion Chromatography 111

- 3.6.1 Size-exclusion chromatography uses the size and shape of a protein to achieve separation 111
- 3.6.2 Size-exclusion chromatography is based on hydrodynamic properties 113

3.7 Affinity Chromatography 117

- 3.7.1 Affinity chromatography takes advantage of numerous weak forces to separate molecules 117
- 3.7.2 Different resins are used to separate proteins 119
- 3.7.3 Proteins can be used to bind to a molecule of interest 122

4 Proteins II: Enzymes, Allosterism and Receptor–Ligand Interactions 133

Enzymes and Allosterism in Context 133**4.1 Regarding Enzymes 135**

- 4.1.1 Enzyme Nomenclature 135
- 4.1.2 Enzymes are biological catalysts 137
- 4.1.3 How do enzymes work? 138

4.2 Enzymes Increase Reaction Rate 140

- 4.2.1 Boltzmann Distribution 140
- 4.2.2 The Michaelis-Menten equation relates enzymatic rates to measurable parameters 141
- 4.2.3 The Michaelis constant has several meanings 143
- 4.2.4 Kinetic data can be graphically analyzed 143
- 4.2.5 k_{cat}/K_M is a measure of catalytic efficiency 144
- 4.2.6 Enzymatic reactions may be inhibited through one of several different mechanisms 144
- 4.2.7 Many reactions have more than one substrate 148

4.3 The Mechanism of an Enzyme Can Be Deduced from Structural, Kinetic, and Spectral Data 149

- 4.3.1 Enzymatically catalyzed reactions have common properties 150

- 4.3.2 Examining examples of enzymatic reaction mechanisms illustrates underpinning principles 151

- 4.3.3 Mechanisms are elucidated using a combination of experimental techniques 156

4.4 Examples of Enzyme Regulation 159

- 4.4.1 Covalent modifications are a common means of enzyme regulation 159
- 4.4.2 Allosteric regulators bind at sites other than the active site 161

4.5 Allosterism and Cooperativity 164

- 4.5.1 Allosterism is a means of regulating protein function 165
- 4.5.2 Multiple models describe cooperative allosteric interactions 167
- 4.5.3 Allosteric molecules can operate in different ways 169

4.6 Hemoglobin 170

- 4.6.1 Hemoglobin and myoglobin have related structures 171
- 4.6.2 Hemoglobin is regulated allosterically by oxygen 172
- 4.6.3 Other molecules also bind to hemoglobin 174
- 4.6.4 Several diseases arise from mutations in hemoglobin genes 176

4.7 Receptor–Ligand Interactions 180

- 4.7.1 Nuclear hormone receptors bind ligands within the cell 180
- 4.7.2 Membrane-bound receptors bind ligands outside the cell 182
- 4.7.3 Ligand binding can activate or inhibit receptors 184
- 4.7.4 Receptor–ligand interactions can involve simple or allosteric binding 184

5 Membranes and an Introduction to Signal Transduction 193

Biochemistry in Context 193**5.1 Membrane Structure and Function 194**

- 5.1.1 The chemical properties of the membrane components dictate the characteristics of the membrane 194
- 5.1.2 Other aspects of membrane structure 199
- 5.1.3 Membrane fusion and membrane budding 200
- 5.1.4 Electrical properties of the membranes 203

5.2 Signal Transduction 204

- 5.2.1 General principles underlie signal transduction 204
- 5.2.2 The protein kinase A (PKA) signaling pathway is activated by cyclic AMP 205
- 5.2.3 Insulin is an important metabolic regulator and growth factor 208
- 5.2.4 The AMP kinase (AMPK) signaling pathway coordinates metabolic pathways in the cell and in the body 210

6 Carbohydrates I: Mono- and Disaccharides, Glycolysis, Gluconeogenesis, and the Fates of Pyruvate 217

Carbohydrates in Context 217

6.1 Properties, Nomenclature, and Biological Functions of Monosaccharides 219

- 6.1.1 Monosaccharides are the simplest carbohydrates 219
- 6.1.2 Monosaccharides form hemiacetals and hemiketals 221
- 6.1.3 Monosaccharides form heterocyclic structures 222
- 6.1.4 Monosaccharides can be chemically modified 223
- 6.1.5 Carbohydrates can be classified as reducing sugars or nonreducing sugars 224
- 6.1.6 Identification of monosaccharides using different reagents 225
- 6.2 Properties, Nomenclature, and Biological Functions of Complex Carbohydrates 227
- 6.2.1 Common disaccharides include lactose, sucrose, and maltose 227
- 6.2.2 Trisaccharides and oligosaccharides contain three or more monosaccharide units bound by glycosidic linkages 230
- 6.2.3 Common polysaccharides function to store energy or provide structure 231
- 6.3 Glycolysis and an Introduction to Metabolic Pathways 234
- 6.3.1 Metabolic pathways describe how molecules are built up or broken down 235
- 6.3.2 Glycolysis is the process by which glucose is broken into pyruvate 237

6.4 Gluconeogenesis 250

- 6.4.1 Gluconeogenesis differs from glycolysis at four reactions 250
- 6.4.2 The regulation of gluconeogenesis takes place at several different levels 252
- 6.4.3 Coordinated regulation of gluconeogenesis and glycolysis through hormones 253

6.5 The Fates of Pyruvate 256

- 6.5.1 Pyruvate can be decarboxylated to acetyl-CoA by pyruvate dehydrogenase 257
- 6.5.2 Pyruvate can be converted to lactate by lactate dehydrogenase 259
- 6.5.3 Pyruvate can be transaminated to alanine 260
- 6.5.4 Pyruvate can be carboxylated to oxaloacetate by pyruvate carboxylase 261
- 6.5.5 Microbes can decarboxylate pyruvate into acetaldehyde 261

7 The Common Catabolic Pathway 269

Electron Transport in Context 269

7.1 The Citric Acid Cycle 271

- 7.1.1 There are eight reactions in the citric acid cycle 272
- 7.1.2 The citric acid cycle is regulated at multiple places and by several different mechanisms 278
- 7.1.3 Anaplerotic reactions of the citric acid cycle replenish intermediates 279

7.2 The Electron Transport Chain 283

- 7.2.1 Electron transport occurs through a series of redox active centers from higher to lower potential energy 283
- 7.2.2 Complex I (NADH dehydrogenase) transfers electrons from NADH to ubiquinone via a series of iron-sulfur centers 288
- 7.2.3 Complex II is the citric acid cycle enzyme succinate dehydrogenase 290
- 7.2.4 Complex III is ubiquinone/cytochrome c reductase 292
- 7.2.5 Cytochrome c is a soluble electron carrier 294
- 7.2.6 In complex IV, oxygen is the terminal electron carrier 295
- 7.2.7 The entire complex working as one: the respirasome 297
- 7.3 ATP Biosynthesis 301
- 7.3.1 The structure of ATP synthase underlies its function 301
- 7.3.2 ATP synthase acts as a molecular machine driving the assembly of ATP molecules 303
- 7.3.3 Other ATPases serve as ion pumps 306
- 7.3.4 Inhibitors of the ATPases can be powerful drugs or poisons 306

8 Carbohydrates II 315

Polysaccharides in Context 315

8.1 Glycogen Metabolism 317

- 8.1.1 Glycogenesis is glycogen biosynthesis 317
- 8.1.2 Glycogenolysis is glycogen breakdown 318
- 8.1.3 The regulation of glycogenesis and glycogenolysis 321

8.2 The Pentose Phosphate Pathway 326

- 8.2.1 The oxidative phase of the pentose phosphate pathway produces NADPH and ribulose-5-phosphate 326
- 8.2.2 The nonoxidative phase of the pentose phosphate pathway results in rearrangement of monosaccharides 328
- 8.2.3 Regulation of the pentose phosphate pathway 329

- 8.2.4 The pentose phosphate pathway in health and disease **330**
- 8.2.5 Xylulose-5-phosphate is a master regulator of carbohydrate and lipid metabolism **333**
- 8.3 Carbohydrates in Glycoconjugates 335**
 - 8.3.1 Glycoproteins **335**
 - 8.3.2 Glycolipids **338**
 - 8.3.3 Proteoglycans and non-proteoglycan polysaccharides **342**
 - 8.3.4 Peptidoglycans **344**
- 8.4 Extracellular Matrices and Biofilms 346**
 - 8.4.1 Eukaryotic extracellular matrix proteins **347**
 - 8.4.2 Biofilms are composed of microbes living in a secreted matrix **353**

9 Lipids I: Fatty Acids, Steroids, and Eicosanoids; Beta-Oxidation and Fatty Acid Biosynthesis **363**

Lipids in Context **363**

- 9.1 Properties, Nomenclature, and Biological Functions of Lipid Molecules 365**
 - 9.1.1 Fatty acids are a common building block of many lipids **365**
 - 9.1.2 Neutral lipids are storage forms of fatty acids or cholesterol **367**
 - 9.1.3 Phospholipids are important in membrane formation **369**
 - 9.1.4 All steroids and bile salts are derived from cholesterol **372**
 - 9.1.5 Eicosanoids are potent signaling molecules derived from 20-carbon polyunsaturated fatty acids **373**
- 9.2 Fatty Acid Catabolism 374**
 - 9.2.1 Fatty acids must be transported into the mitochondrial matrix before catabolism can proceed **375**
 - 9.2.2 Fatty acids are oxidized to acetyl-CoA by β -oxidation **375**
 - 9.2.3 Beta-oxidation is regulated at two different levels **379**
 - 9.2.4 Other modes of fatty acid oxidation **379**
- 9.3 Fatty Acid Biosynthesis 382**
 - 9.3.1 Two major enzyme complexes are involved in fatty acid biosynthesis **382**
 - 9.3.2 Elongases and desaturases in the endoplasmic reticulum increase fatty acid diversity **390**
 - 9.3.3 The formation of malonyl-CoA by acetyl-CoA carboxylase is the regulated and rate-determining step of fatty acid biosynthesis **391**
- 9.4 Ketone Body Metabolism 393**
 - 9.4.1 Ketone bodies are made from acetyl-CoA **394**
 - 9.4.2 Ketone bodies can be thought of as a water-soluble fuel source used in the absence of carbohydrates **394**

9.5 Steroid Metabolism **396**

- 9.5.1 Cholesterol is synthesized in the liver through the addition of energetically activated isoprene units **396**
- 9.5.2 Steroid hormones are derived from cholesterol **399**
- 9.5.3 Bile salts are steroid detergents used in the digestion of fats **401**
- 9.6 Eicosanoid and Endocannabinoid Metabolism 402**
 - 9.6.1 Eicosanoids are classified by the enzymes involved in their synthesis **403**
 - 9.6.2 Endocannabinoids such as anandamide are also arachidonate derivatives **405**

10 Lipids II: Metabolism and Transport of Complex Lipids **415**

Complex Lipids in Context **415**

- 10.1 Phospholipid Metabolism 416**
 - 10.1.1 Glycerophospholipids are derived from phosphatidate or diacylglycerol using activated carriers **418**
 - 10.1.2 Sphingolipids are synthesized from ceramide **420**
 - 10.1.3 Phospholipases and sphingolipases cleave at specific sites **422**
- 10.2 Digestion of Triacylglycerols 425**
 - 10.2.1 Triacylglycerol digestion begins in the gastrointestinal tract **425**
 - 10.2.2 Dietary lipids are absorbed in the small intestine and pass into lymph before entering the circulation **427**
 - 10.2.3 Several molecules affect neutral lipid digestion **429**
- 10.3 Transport of Lipids in the Circulation 431**
 - 10.3.1 Lipoproteins have a defined structure and composition, and transport lipids in the circulation **431**
 - 10.3.2 The trafficking of lipoproteins in the blood can be separated conceptually into three different paths **432**
 - 10.3.3 Brain lipids are transported on apo E-coated discs **437**
 - 10.3.4 Fatty acids and hydrophobic hormones are transported by binding to carrier proteins **437**
- 10.4 Entry of Lipids into the Cell 440**
 - 10.4.1 Fatty acids can enter the cell via diffusion or by protein-mediated transport **440**
 - 10.4.2 Lipoprotein particles and many other complexes enter the cell via receptor-mediated endocytosis **441**
- 10.5 Neutral Lipid Biosynthesis 444**
 - 10.5.1 Triacylglycerols are synthesized by different pathways depending on the tissue **444**
 - 10.5.2 Triacylglycerol metabolism and phosphatidate metabolism are enzymatically linked **444**

- 10.6 Lipid Storage Droplets, Fat Storage, and Mobilization 447**
 - 10.6.1 Bulk neutral lipids in the cell are stored in a specific organelle, the lipid storage droplet **447**
 - 10.6.2 Specific phosphorylation of lipases and lipid droplet proteins regulate lipolysis (triacylglycerol breakdown) **447**
 - 10.6.3 Triacylglycerol metabolism is regulated at several levels **450**
- 10.7 Lipid Rafts as a Biochemical Entity 451**
 - 10.7.1 Lipid rafts are loosely associated groups of sphingolipids and cholesterol found in the plasma membrane **451**
 - 10.7.2 Lipid rafts have been broadly grouped into two categories: caveolae and non-caveolar rafts **452**

11 Amino Acid and Amine Metabolism 461

- Amine Metabolism in Context 461**
 - 11.1 Digestion of Proteins 462**
 - 11.1.1 Protein digestion begins in the stomach **463**
 - 11.1.2 Protein digestion continues in the small intestine, aided by proteases **465**
 - 11.1.3 Amino acids are absorbed in the small intestine **465**
 - 11.1.4 Amino acids serve many biological roles in the organism **467**
 - 11.2 Amino Acid Deamination and Transamination 468**
 - 11.2.1 Ammonia can be removed from an amino acid in two different ways **468**
 - 11.2.2 The glucose–alanine shuttle moves nitrogen to the liver and delivers glucose to tissues that need it **469**
 - 11.2.3 Glutamine is also important in nitrogen transport **470**
 - 11.3 The Urea Cycle 473**
 - 11.3.1 Ammonia detoxification begins with the synthesis of carbamoyl phosphate **473**
 - 11.3.2 The urea cycle synthesizes urea and other metabolic intermediates **473**
 - 11.3.3 Nitrogen metabolism is regulated at different levels **476**
 - 11.3.4 Mechanisms for elimination of nitrogenous wastes differ between mammals and non-mammals **476**
 - 11.3.5 Some mammals have adapted to high- or low-protein diets **477**
 - 11.4 Metabolism of Amino Acid Carbon Skeleton 478**
 - 11.4.1 Three-carbon skeletons produce pyruvate **480**
 - 11.4.2 Four-carbon skeletons produce oxaloacetate **482**
 - 11.4.3 Five-carbon skeletons produce α -ketoglutarate **482**
 - 11.4.4 Methionine, valine, and isoleucine produce succinyl-CoA **482**
 - 11.4.5 Other amino acids produce acetyl-CoA, acetoacetate, or fumarate **483**

- 11.4.6 Biosynthesis of Amino Acids **487**
- 11.5 The Detoxification of Other Amines and Xenobiotics 488**
 - 11.5.1 Phase I metabolism makes molecules more hydrophilic through oxidative modification **488**
 - 11.5.2 Phase II metabolism couples molecules to bulky hydrophilic groups **491**
- 11.6 The Biochemistry of Renal Function 494**
 - 11.6.1 Molecules smaller than proteins are filtered out of the blood by the glomerulus **495**
 - 11.6.2 Water, glucose, and electrolytes are reabsorbed in the proximal convoluted tubule, loop of Henle, and distal convoluted tubule **495**

12 Regulation and Integration of Metabolism 505

- Metabolism in Context 505**
 - 12.1 A Review of the Pathways and Crossroads of Metabolism 507**
 - 12.1.1 The pathways of metabolism are interconnected **507**
 - 12.1.2 Several metabolites are at the intersection of multiple pathways **509**
 - 12.2 Organ Specialization and Metabolic States 511**
 - 12.2.1 Different organs play distinct roles in metabolism **511**
 - 12.2.2 The organism shifts between different metabolic states depending on access to food **515**
 - 12.3 Communication between Organs 519**
 - 12.3.1 Organs communicate using hormones **520**
 - 12.3.2 Hormonal signals to the brain regulate appetite and metabolism **522**
 - 12.3.3 Transcription factors and histone acetylases and deacetylases regulate metabolism in the longer term **525**
 - 12.4 Metabolic Disease 528**
 - 12.4.1 Diseases of excess: obesity, diabetes, and metabolic syndrome **528**
 - 12.4.2 Diseases of absence: starvation, cachexia, and cancer **532**
 - 12.4.3 Diseases of indulgence: alcohol overconsumption **533**
 - 12.4.4 Other metabolic states **534**

13 Nucleotide and Deoxynucleotide Metabolism 541

- Nucleotides and Deoxynucleotides in Context 541**
 - 13.1 Purine Biosynthesis 542**
 - 13.1.1 The *de novo* biosynthetic pathway builds the purine backbone from phosphoribose **542**

- 13.1.2 The salvage biosynthetic pathway recycles hypoxanthine into adenosine and guanosine **547**
- 13.1.3 Purine biosynthesis is tightly regulated **548**
- 13.2 Pyrimidine Biosynthesis 549**
- 13.2.1 The *de novo* pathway of pyrimidine biosynthesis generates UMP **549**
- 13.2.2 The pyrimidine salvage pathway converts CMP back into UMP **550**
- 13.2.3 Pyrimidine biosynthesis is regulated allosterically **550**
- 13.3 Deoxyribonucleotide Biosynthesis 553**
- 13.3.1 The simplest active structure of ribonucleotide reductase is a dimer of dimers **554**
- 13.3.2 Ribonucleotide reductase reduces the 2' carbon of the NDPs **554**
- 13.3.3 Ribonucleotide reductase employs a free radical and a series of redox-active thiols to synthesize deoxyribonucleotides **555**
- 13.3.4 Regulation of ribonucleotide reductase balances deoxynucleotide concentrations and impacts the rate of DNA synthesis **555**
- 13.3.5 Thymidine is synthesized from dUMP **557**
- 13.4 Catabolism of Nucleotides 560**
- 13.4.1 Purines are catabolized to nucleosides and then uric acid **560**
- 13.4.2 Pyrimidines are catabolized to malonyl-CoA and methylmalonyl-CoA **565**

14 DNA Replication, Damage, and Repair **571**

DNA in Context **571**

- 14.1 Challenges of DNA Replication 572**
- 14.1.1 The structure of DNA creates several challenges for replication **573**
- 14.1.2 DNA replication addresses the challenges posed by its structure **574**
- 14.2 DNA Replication in Prokaryotes 576**
- 14.2.1 Initiation of replication begins at an *ori* sequence **576**
- 14.2.2 Elongation replicates the *E. coli* genome **577**
- 14.2.3 Topoisomerases relieve strain in the DNA helix **579**
- 14.2.4 DNA polymerases synthesize and proofread DNA **580**
- 14.3 DNA Replication in Eukaryotes 581**
- 14.3.1 In eukaryotes replication originates in multiple sites **582**
- 14.3.2 DNA replication systems in eukaryotes are more complex than in prokaryotes **583**
- 14.3.3 Histones must be removed before replication and then reincorporated afterward **584**
- 14.3.4 Telomeres present a problem for DNA replication **585**

14.4 DNA Damage and Repair **588**

- 14.4.1 DNA damage occurs in various ways through different agents **589**
- 14.4.2 Prokaryotes have various mechanisms for DNA repair **592**
- 14.5 Homologous Recombination 599**
- 14.5.1 Homologous recombination generates genetic diversity **599**
- 14.5.2 Recombination in prokaryotes is mediated by Rec proteins **599**
- 14.5.3 Recombination in eukaryotes can proceed through several different models **601**
- 14.5.4 Transposons are hopping genes **602**
- 14.5.5 VDJ recombination generates genetic diversity in the immune system **604**

15 RNA Synthesis and Processing **611**

RNA Synthesis in Context **611**

- 15.1 Transcription: RNA Synthesis 613**
- 15.1.1 Different types of RNA polymerase catalyze synthesis of different types of RNA **613**
- 15.1.2 Transcription involves five stages **615**
- 15.1.3 RNA polymerase inhibitors can be powerful drugs or poisons **619**
- 15.1.4 Retroviruses employ reverse transcription **621**
- 15.2 Processing of Nascent Eukaryotic RNA Messages 622**
- 15.2.1 Messenger RNA molecules receive a 5'-methylguanine cap **622**
- 15.2.2 Messenger RNA molecules receive a poly(A) tail **624**
- 15.2.3 The nascent mRNA is spliced into different messages **624**
- 15.2.4 Transfer RNA molecules have several uncommon modifications **630**
- 15.3 RNA Export from the Nucleus 632**
- 15.3.1 Transit into and out of the nucleus is regulated by the nuclear pore complex **632**
- 15.3.2 Importins and exportins transport molecules in the Ran cycle **634**
- 15.3.3 Different classes of RNA molecules employ different protein adapters for transport **635**

16 Protein Biosynthesis **643**

Protein Biosynthesis in Context **643**

- 16.1 The Genetic Code 644**
- 16.1.1 The genetic code translates nucleic acids into amino acids **644**
- 16.1.2 Codon degeneracy and wobble benefit protein synthesis **646**
- 16.1.3 The genetic code is almost universal **646**

16.2 Machinery Involved in Protein Biosynthesis 647

- 16.2.1 Messenger RNA contains structural information **647**
- 16.2.2 Transfer RNAs act as adapters for the genetic code **647**
- 16.2.3 Ribosomal RNA molecules provide both structure and catalysis **649**
- 16.3 Mechanism of Protein Biosynthesis 652**
- 16.3.1 Activation is the coupling of amino acids to tRNA **652**
- 16.3.2 Initiation is the binding of the ribosome and the beginning of protein biosynthesis **656**
- 16.3.3 Elongation is the addition of more amino acids to the growing polypeptide chain **658**
- 16.3.4 The final step in protein synthesis is termination of translation **660**
- 16.3.5 Proteins may be made on free polysomes or translated into a membrane **661**
- 16.3.6 Nascent proteins fold and undergo processing **662**
- 16.3.7 Inhibitors of protein biosynthesis may be lifesaving drugs or deadly toxins **663**

17 Control and Regulation of Gene Expression 673**Gene Regulation in Context 673**

- 17.1 DNA-Protein Interactions 674**
- 17.1.1 DNA structure determines the interactions that regulate genes **674**
- 17.1.2 DNA promoter sequences regulate gene expression **675**
- 17.1.3 Transcription factors use specific protein motifs to interact with DNA **677**
- 17.2 Regulation of Gene Expression in Prokaryotes 680**
- 17.2.1 Sigma factors regulate large groups of genes **680**
- 17.2.2 Operons regulate small groups of genes that code for proteins with a common purpose **681**
- 17.2.3 Riboswitches are regulatory elements found in mRNA **686**
- 17.3 Regulation of Gene Expression in Eukaryotes 690**
- 17.3.1 Eukaryotic DNA is organized into chromosomes **690**
- 17.3.2 Histones and other proteins organize and give structure to the chromosome **693**
- 17.3.3 Epigenetic gene regulation can affect expression by modifying histones or DNA **695**
- 17.3.4 Eukaryotic transcription factors can be classified based on their mechanism of action **698**
- 17.3.5 MicroRNAs regulate gene expression at the message level **706**
- 17.3.6 Regulation of the ferritin and transferrin genes occurs at the mRNA level **708**

18 Determination of Macromolecular Structure 715**Macromolecular Structure in Context 715****18.1 An Introduction to Structure Determination 716**

- 18.1.1 Resolution is a key feature of structure determination **717**
- 18.1.2 Contrast is important in some techniques for structure determination **718**
- 18.1.3 The means of depicting structures have evolved along with advances in structure determination **718**

18.2 Electron Microscopy 720

- 18.2.1 Similarities between light microscopy and electron microscopy **720**
- 18.2.2 Sample preparation is essential to visualization in electron microscopy **721**
- 18.2.3 Advances in electron microscopy have dramatically improved resolution **722**
- 18.2.4 Electron microscopy for next generation macromolecular structure determination **723**

18.3 X-Ray Diffraction and Neutron Scattering 724

- 18.3.1 A two-dimensional example illustrates the principles of diffraction **724**
- 18.3.2 Diffraction from a crystal occurs in three dimensions **725**
- 18.3.3 The determination of structures by X-ray diffraction can be broken into four steps **726**
- 18.3.4 A table of data describes the quality of an X-ray crystallography structure **732**
- 18.3.5 Neutron scattering is similar to X-ray diffraction **733**

18.4 Nuclear Magnetic Resonance 734

- 18.4.1 NMR relies on the quantum mechanical property of nucleus spin **735**
- 18.4.2 An NMR spectrometer generates a magnetic field **736**
- 18.4.3 NMR spectra are interpreted by analyzing peaks **736**
- 18.4.4 The Overhauser effect describes the through-space effects of one nuclei on others **737**
- 18.4.5 Multidimensional NMR techniques are used to probe three-dimensional structure **737**
- 18.4.6 NMR is developing as a technology **739**

19 Protein Production, Folding, and Engineering 745**Protein Folding and Engineering in Context 745****19.1 Protein Production 746**

- 19.1.1 Solid-phase peptide synthesis is a means of chemically synthesizing proteins **747**

- 19.1.2 Proteins can be biologically overexpressed **750**
- 19.1.3 Different organisms can be used for protein expression **751**
- 19.2 Protein Folding 753**
- 19.2.1 There is debate about the mechanisms by which proteins fold **754**
- 19.2.2 Protein folding can be analyzed using thermodynamics **757**
- 19.2.3 Computational modelling to explore the protein folding and structure **758**
- 19.3 Protein Engineering 761**
- 19.3.1 Site-directed mutagenesis is a way to alter precisely the amino acid sequence of a protein **761**
- 19.3.2 Chimeric or fusion proteins are the result of in-frame combination of mRNAs that code for different proteins **764**
- 19.3.3 Epitope tags are modifications made to proteins to assist in detection or purification **766**
- 19.3.4 Amber codon suppression is a way to incorporate unnatural amino acids into proteins **767**

20 Bioinformatics and Omics 775

Bioinformatics in Context 775

- 20.1 Introduction to Bioinformatics 776**
- 20.1.1 A classical approach to a problem can be reformulated using a bioinformatics approach **776**
- 20.1.2 Bioinformatics or omics experiments can be used to test all aspects of biochemistry **777**
- 20.1.3 Bioinformatics experiments differ in the volume of data generated and the methods used to process the data **779**
- 20.2 Generating Bioinformatic Data 780**
- 20.2.1 High-throughput sequencing is used to study the genome **781**
- 20.2.2 The transcriptome can be studied using microarrays or RNA sequencing **782**
- 20.2.3 Mass spectrometry is used to quantify proteins, lipids, carbohydrates, and metabolites **786**
- 20.3 Analyzing Bioinformatic Data 789**
- 20.3.1 Several computational tools are used in bioinformatic data analysis **789**
- 20.3.2 Search algorithms are important in bioinformatics **790**
- 20.3.3 Interaction maps indicate how proteins interact **796**

21 Signal Transduction 801

Cell Signaling in Context 801

- 21.1 A Review of Signal Transduction 802**
- 21.1.1 Signal transduction follows certain basic principles **803**
- 21.1.2 The PKA signaling pathway involves a second messenger **804**

- 21.1.3 The insulin signaling pathway has multiple functions **805**
- 21.1.4 The AMP kinase signaling pathway regulates cell metabolism **806**
- 21.2 An Overview of Regulation of Signal Transduction 808**
- 21.2.1 Second messengers regulate certain pathways **808**
- 21.2.2 Kinase cascades are an alternative to second messengers **808**
- 21.2.3 SH2 domains are common structural motifs found in signaling proteins **810**
- 21.3 Six New Signal Transduction Pathways 811**
- 21.3.1 The JAK-STAT pathway is involved in inflammation **812**
- 21.3.2 Mitogen-activated protein kinases help to regulate cell proliferation **814**
- 21.3.3 Toll-like receptor signaling is critical to the innate immune response **817**
- 21.3.4 PKC and the phosphoinositide cascade affect gene expression and enzyme activity **819**
- 21.3.5 The cyclin-dependent kinases regulate cell growth and replication **821**
- 21.3.6 Nitric oxide signals via protein kinase G **823**

22 Protein Trafficking 833

Protein Trafficking in Context 833

- 22.1 Molecular Aspects of Protein Trafficking 834**
- 22.1.1 Signal sequences direct proteins to specific organelles **834**
- 22.1.2 Many proteins are trafficked using vesicles **835**
- 22.1.3 Proteins are sorted and modified in the Golgi apparatus **838**
- 22.2 Molecular Motor Proteins 839**
- 22.2.1 Myosins move along actin microfilaments **839**
- 22.2.2 Kinesins move along tubulin microtubules **841**
- 22.2.3 Dyneins move cargo back to the ER **843**
- 22.2.4 Other proteins also generate motion **843**
- 22.3 Vesicular Fusion 846**
- 22.3.1 SNARE proteins are essential mediators of vesicular fusion with the plasma membrane **846**
- 22.3.2 The structure of the SNARE proteins serves their function **846**
- 22.3.3 Vesicular fusion involves the formation and disassociation of the SNARE complex **847**

23 Photosynthesis and Nitrogen Fixation 853

Photosynthesis and Nitrogen Fixation in Context 853

- 23.1 Photosynthesis 854**
- 23.1.1 An overview of photosynthesis reveals several important reactions **855**

- 23.1.2 Photosynthesis takes place in the chloroplast **855**
 - 23.1.3 The light-dependent reactions of photosynthesis generate ATP, NADPH, and oxygen **856**
 - 23.1.4 The light-independent reactions of photosynthesis fix CO₂ and generate carbohydrates **865**
 - 23.2 Nitrogen Fixation 871**
 - 23.2.1 Nitrogen levels in Earth's atmosphere changed over time **871**
 - 23.2.2 The nitrogen cycle describes nitrogen chemistry in the environment **872**
 - 23.2.3 Nitrogenase employs unique structural features to catalyze the reduction of nitrogen gas **874**
- TECHNIQUES **T-1**
- SOLUTIONS **A-1**
- GLOSSARY **G-1**
- INDEX **I-1**

