

Contents

List of Contributors *Foreword*

xvi
xviii

Chapter 1: Introduction

1

Lisa Hanson, PhD, CNM, FACNM, FAAN and Emily Malloy, PhD, CNM

Causes and prevention of labor dystocia: a systematic approach	1
Notes on this book	4
Note from the authors on the use of gender-inclusive language	5
Conclusion	5
References	5

Chapter 2: Respectful Care

7

Amber Price DNP, CNM, MSN, RN

7

Health system conditions and constraints	8
LGBTQ birth care	9
RMC and pregnant people in larger bodies	9
Shared decision-making	10
Expectations	11
The impact of culture on the birth experience	12
Traumatic births	12
Trauma survivors and prevention of PTSD	13
Trauma-informed care as a universal precaution	15
Obstetric violence	16
Patient rights	17
Consent	17
Maternal mortality	18
References	19

Chapter 3: Normal Labor and Labor Dystocia: General Considerations

22

Lisa Hanson, PhD, CNM, FACNM, FAAN, Venus Standard, MSN, CNM, LCCE, FACNM, and Penny Simkin, BA, PT, CCE, CD(DONA)

What is normal labor?	22
What is labor dystocia?	26
What is normal labor progress and what practices promote it?	26

Why does labor progress slow or stop?	28
Prostaglandins and hormonal influences on emotions and labor progress	29
Disruptions to the hormonal physiology of labor	30
Hormonal responses and gender	30
“Fight-or-flight” and “tend-and-befriend” responses to distress and fear during labor	31
Optimizing the environment for birth	32
The psycho-emotional state of the pregnant person: wellbeing or distress?	33
Pain versus suffering	33
Assessment of pain and coping	34
Emotional dystocia	34
Psycho-emotional measures to reduce suffering, fear, and anxiety	34
Before labor, what the caregiver can do	34
During labor: tips for caregivers and doulas, especially if meeting the laboring client for the first time in labor	37
Conclusion	38
References	38
 Chapter 4: Assessing Progress in Labor	 41
Wendy Gordon, DM, MPH, CPM, LM, with contributions by Gail Tully, BS, CPM, and Lisa Hanson, PhD, CNM, FACNM, FAAN	
Before labor begins	42
Fetal presentation and position	42
Abdominal contour	42
Location of the point of maximum intensity (PMI) of the fetal heart tones via auscultation	42
Leopold’s maneuvers for identifying fetal presentation and position	46
Abdominal palpation using Leopold’s maneuvers	46
Estimating engagement: The rule of fifths	49
Malposition	53
Other assessments prior to labor	53
Estimating fetal weight	53
Assessing the cervix prior to labor	54
Assessing prelabor	55
Six ways to progress	55
Assessments during labor	55
Visual and verbal assessments	55
Hydration and nourishment	55
Psychology	56
Quality of contractions	56
Vital signs	57
Purple line	58
Assessing the fetus	58
Fetal movements	58
Gestational age	58
Meconium	59
Fetal heart rate (FHR)	59
Internal assessments	67
Vaginal examinations: indications and timing	68

Performing a vaginal examination during labor	68
Assessing the cervix	69
Assessing the presenting part	70
Identifying those fetuses likely to persist in an OP position throughout labor	75
The vagina and bony pelvis	76
Putting it all together	76
Assessing progress in the first stage	76
Features of normal latent phase	76
Features of normal active phase	76
Assessing progress in the second stage	77
Features of normal second stage	77
Conclusion	77
References	77
Chapter 5: Role of Physiologic and Pharmacologic Oxytocin in Labor Progress	82
Elise Erickson, PhD, CNM, FACNM and Nicole Carlson, PhD, CNM, FACNM, FAAN	
History of oxytocin discovery and use in human labor	83
Structure and function of oxytocin	83
Oxytocin receptors	83
Oxytocin and spontaneous labor onset and progression	84
Promoting endogenous oxytocin function in spontaneous labor	85
Ethical considerations in oxytocin administration	85
Oxytocin use	86
Oxytocin use during latent phase labor	87
Oxytocin use during active phase labor	87
Oxytocin use during second stage labor	88
Changes in contemporary populations and labor progress	88
Oxytocin dosing	89
High dose/low dose	89
Variation in oxytocin dosing among special populations	89
Higher body mass index	89
Nullipara	90
Maternal age	90
Epidural	91
Problems associated with higher doses or longer oxytocin infusion	91
Postpartum hemorrhage	91
Fetal Intolerance to labor	92
Oxytocin holiday	92
Breastfeeding and beyond	92
New areas of oxytocin research	93
Conclusion	93
References	93
Chapter 6: Prolonged Prelabor and Latent First Stage	101
Ellen L. Tilden, PhD, RN, CNM, FACNM, Jesse Remer, BS, CD(DONA), BDT(DONA), LCCE, FACCE, and Joyce K. Edmonds, PhD, MPH, RN	
The onset of labor: key elements of recognition and response	102
Defining labor onset	102

Signs of impending labor	103
Prelabor	103
Prelabor vs labor: the dilemma	103
Delaying latent labor hospital admissions	103
Anticipatory guidance	104
Anticipatory guidance for coping prior in prelabor	105
Sommer's New Year's Eve technique	106
Prolonged prelabor and the latent phase of labor	106
Fetal factors that may prolong early labor	107
Optimal fetal positioning: prenatal features	107
Miles circuit	109
Support measures for pregnant people who are at home in prelabor and the latent phase	110
Some reasons for excessive pain and duration of prelabor or the latent phase	111
Iatrogenic factors	112
Cervical factors	112
Management of cervical stenosis or the "zipper" cervix	112
Other soft tissue (ligaments, muscles, fascia) factors	112
Emotional dystocia	113
Troubleshooting Measures for Painful Prolonged Prelabor or Latent Phase	113
Measures to Alleviate Painful, Non-progressing, Non-dilating Contractions in Prelabor or Latent Phase	114
Synclitism and asynclitism	114
Open knee-chest position	118
Closed knee-chest position	119
Side-lying release	119
When progress in prelabor or latent phase remains inadequate	120
Therapeutic rest	120
Nipple stimulation	120
Membrane sweeping	121
Artificial rupture of membranes in latent labor	121
Can prenatal actions prevent some postdates pregnancies, prolonged prelabor, or early labors?	121
Prenatal preparation of the cervix for dilation	121
References	125
Chapter 7: Prolonged Active Phase	130
Amy Marowitz, DNP, CNM	
What is active labor? Description, definition, diagnosis	131
When is active labor prolonged or arrested?	131
Possible causes of prolonged active labor	132
Treatment of prolonged labor	132
Fetopelvic factors	132
How fetal malpositions and malpresentation delay labor progress	134
Determining fetopelvic relationships	134
Malpositions	134
Malpresentations	134
Use of ultrasound	135
Artificial rupture of the membranes (amniotomy) when there is a fetal malposition or malpresentation	135

Epidural analgesia and malposition or malpresentation	135
Maternal positions and movements for suspected malposition, malpresentation, or any “poor fit”	136
Overview and evidence	136
Positions to encourage optimal fetal positioning	137
Forward-leaning positions	137
Side-lying positions	137
Asymmetrical positions and movements	137
Abdominal lifting	142
“Walcher’s” position	142
Flying cowgirl	142
Low technology clinical approaches to alter fetal position	144
Digital or manual rotation of the fetal head	144
Digital rotation	145
Manual rotation	146
Early urge to push, cervical edema, and persistent cervical lip	147
Manual reduction of a persistent cervical lip	148
Reducing swelling of the cervix or anterior lip	148
Disruptions to the hormonal physiology of labor	150
Overview	150
If emotional dystocia is suspected	150
Predisposing factors theorized to contribute to emotional dystocia	151
Possible indicators of emotional dystocia during active labor	151
Measures to help cope with expressed fears	151
Hypocontractile uterine activity	152
Factors that can contribute to contractions of inadequate intensity and/or frequency	152
Immobility	152
Environmental and emotional factors	152
Uterine lactate production in long labors	152
Sodium bicarbonate	153
Calcium carbonate	154
When the cause of inadequate contractions is unknown	154
Breast stimulation	154
Walking and changes in position	154
Acupressure or acupuncture	154
Coping and comfort issues	155
Individual coping styles	155
Simkin’s 3 Rs: Relaxation, rhythm, and ritual: The essence of coping during the first stage of labor	156
Hydrotherapy: Warm water immersion or warm shower	156
Comfort measures for back pain	156
Exhaustion	157
Sterile water injections	158
Procedure for subcutaneous sterile water injections	159
Hydration and nutrition	160
Conclusion	160
References	160

Chapter 8: Prevention and Treatment of Prolonged Second Stage of Labor	166
Kathryn Osborne, PhD, CNM, FACNM and Lisa Hanson, PhD, CNM, FACNM, FAAN	
Definitions of the second stage of labor	167
Phases of the second stage of labor	167
The latent phase of the second stage	168
Evidence-based support during the latent phase of second stage labor	169
What if the latent phase of the second stage persists?	169
The active phase of the second stage	169
Physiologic effects of prolonged breath-holding and straining	170
Effects on the birth giver	170
Effects on the fetus	170
Spontaneous expulsive efforts	171
Diffuse pushing	172
Second stage time limits	173
Possible causes and physiologic solutions for second stage dystocia	174
Position changes and other strategies for suspected occiput posterior or persistent occiput transverse fetuses	174
The use of supine positions	174
Why not the supine position?	176
Use of the exaggerated lithotomy position	177
Differentiating between pushing positions and birth positions	178
Knees together pushing	178
Leaning forward while kneeling, standing, or sitting	178
Squatting positions	178
Asymmetrical positions	180
Lateral positions	181
Supported squat or “dangle” positions	181
Other strategies for malposition and back pain	182
Early interventions for suspected persistent asynclitism	183
Positions and movements for persistent asynclitism in second stage	188
Nuchal hand or hands at vertex delivery	190
If cephalopelvic disproportion or macrosomia (“poor fit”) is suspected	190
The influence of time on cephalopelvic disproportion	191
Fetal head descent	191
Verbal support of spontaneous bearing-down efforts	192
Guiding the birthing person through crowning of the fetal head	192
Hand skills to protect the perineum	192
Perineal management during second stage	194
Topical anesthetic applied to the perineum	194
Differentiating perineal massage from other interventions	194
Waterbirth	194
Positions for suspected “cephalopelvic disproportion” (CPD) in second stage	197
Shoulder dystocia	197
Precautionary measures	202
Two step delivery of the fetal head	204
Warning signs	204

Shoulder dystocia maneuvers	205
The McRoberts' maneuver	206
Suprapubic pressure	206
Hands and knees position, or the Gaskin maneuver	207
Shrug maneuver	207
Posterior axilla sling traction (PAST)	208
Tully's FlipFLOP pneumatic	208
Somersault maneuver	208
Decreased contraction frequency and intensity	210
If emotional dystocia is suspected	211
The essence of coping during the second stage of labor	211
Signs of emotional distress in second stage	211
Triggers of emotional distress unique to the second stage	211
Conclusion	213
References	213
 Chapter 9: Optimal Newborn Transition and Third and Fourth Stage Labor Management	219
Emily Malloy, PhD, CNM, Lisa Hanson, PhD, CNM, FACNM, and Karen Robinson, PhD, CNM, FACNM	
Overview of the normal third and fourth stages of labor for unmedicated mother and baby	219
Third stage management: care of the baby	220
Oral and nasopharynx suctioning	220
Delayed clamping and cutting of the umbilical cord	221
Management of delivery of an infant with a tight nuchal cord	222
Third stage management: the placenta	222
Physiologic (expectant) management of the third stage of labor	223
Active management of the third stage of labor	224
The fourth stage of labor	226
Baby-friendly (breastfeeding) practices	227
Supporting microbial health of the infant	228
Routine newborn assessments	229
Conclusion	230
References	230
 Chapter 10: Epidural and Other Forms of Neuraxial Analgesia for Labor:	
Review of Effects, with Emphasis on Preventing Dystocia	235
Sharon Muza, BS, CD/BDT(DONA), LCCE, FACCE, CLE and Robin Elise Weiss, Ph.D., MPH, CLC, LCCE, FACCE, AdvCD/BDT(DONA)	
Introduction: analgesia and anesthesia—an integral part of maternity care in many countries	235
Neuraxial (epidural and spinal) analgesia—new terms for old approaches to labor pain?	236
Physiological adjustments that support maternal-fetal wellbeing	237
Multisystem effects of epidural analgesia on labor progress	237
The endocrine system	237
The musculoskeletal system	238
The genitourinary system	239
Can changes in labor management reduce problems of epidural analgesia?	239
Descent vaginal birth	243

Guided physiologic pushing with an epidural	244
Centering the pregnant person during labor	245
Conclusion	246
References	246

Chapter 11: Guide to Positions and Movements **249**

Lisa Hanson, PhD, CNM, FACNM, FAAN and Emily Malloy, PhD, CNM

Maternal positions and how they affect labor	250
Side-lying positions	250
Pure side-lying and semiprone (exaggerated Sims')	250
The "semiprone lunge"	256
Side-lying release	257
Sitting positions	259
Semisitting	259
Sitting upright	261
Sitting, leaning forward with support	262
Standing, leaning forward	263
Kneeling positions	264
Kneeling, leaning forward with support	264
Hands and knees	266
Open knee-chest position	266
Closed knee-chest position	269
Asymmetrical upright (standing, kneeling, sitting) positions	269
Squatting positions	270
Squatting	270
Supported squatting ("dangling") positions	272
Half-squatting, lunging, and swaying	274
Lap squatting	274
Supine positions	277
Supine	277
Sheet "pull-to-push"	278
Exaggerated lithotomy (McRoberts' position)	279
Maternal movements in first and second stages	280
Pelvic rocking (also called pelvic tilt) and other movements of the pelvis	281
Hip sifting	282
Flexion of hips and knees in hands and knees position	283
The lunge	284
Walking or stair climbing	285
Slow dancing	286
Abdominal lifting	288
Abdominal jiggling with a shawl	289
The pelvic press	290
Other rhythmic movements	292
References	293

Chapter 12: Guide to Comfort Measures	294
Emily Malloy, PhD, CNM and Lisa Hanson, PhD, CNM, FACNM, FAAN	
Introduction: the state of the science regarding non-pharmacologic, complementary, and alternative methods to relieve labor pain	295
General guidelines for comfort during a slow labor	295
Non-pharmacologic physical comfort measures	296
Heat	296
Cold	297
Hydrotherapy	299
How to monitor the fetus in or around water	301
Touch and massage	302
How to give simple brief massages for shoulders and back, hands, and feet	302
Acupuncture	307
Acupressure	307
Continuous labor support from a doula, nurse, or midwife	307
How the doula helps	308
What about staff nurses and midwives as labor support providers?	309
Assessing the laboring person's emotional state	310
Techniques and devices to reduce back pain	312
Counterpressure	312
The double hip squeeze	312
The knee press	314
Cook's counterpressure technique No. 1: ischial tuberosities (IT)	315
Cook's counterpressure technique No. 2: perilabial pressure	316
Techniques and devices to reduce back pain	318
Cold and heat	318
Cold and rolling cold	318
Warm compresses	319
Maternal movement and positions	319
Birth ball	320
Transcutaneous electrical nerve stimulation (TENS)	321
Sterile water injections for back labor	323
Procedure for subcutaneous sterile water injections	324
Breathing for relaxation and a sense of mastery	324
Simple breathing rhythms to teach on the spot in labor	325
Bearing-down techniques for the second stage	325
Spontaneous bearing down (pushing)	325
Self-directed pushing	326
Conclusion	326
References	326
<i>Index</i>	329